Saskatchewan
Ministry of
Agriculture

Crop Report

Crop Report for the Period August 17 to 23, 2010

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 21, August 26, 2010

Just over two per cent of the 2010 crop has been combined, according to Saskatchewan Agriculture's weekly Crop Report.

An additional nine per cent has been swathed or is ready to straight combine. The south west has seven per cent combined and 10 per cent is ready to swath or straight combine. When broken down by crop, 24 per cent of the winter wheat and fall rye, six per cent of the lentils, 15 per cent of the peas and three per cent of the mustard have been combined. The five-year provincial average (2005 to 2009) for this time of year is 12 per cent combined and 19 per cent swathed or ready to straight combine. The wet and cool weather has delayed crop maturity and slowed harvest.

Haying continues. Rain and heavy dew continue to slow progress. Saskatchewan livestock producers have 94 per cent of the hay crop cut, with 82 per cent of that baled or put into silage. Quality is rated as 11 per cent excellent, 55 per cent good, 20 per cent fair and two per cent poor.

Pasture conditions are similar to a month ago and are rated as 43 per cent excellent, 50 per cent good and eight per cent fair. Ninety-nine per cent of livestock producers have adequate water supplies for their livestock.

Cropland topsoil moisture is rated as 29 per cent surplus, 69 per cent adequate and two per cent short. Topsoil moisture on hay land and pasture is rated as 16 per cent surplus, 80 per cent adequate and four per cent short.

The majority of crop damage is being caused by flooding, wind and disease.

Farmers are busy haying, getting ready for harvest, harvesting and hauling grain.

One year ago

Just over three per cent of the 2009 crop had been combined. Eleven per cent of the lentils and 18 per cent of the peas had been combined. Haying was wrapping up. Harvest progress was slow due to rain showers in many areas of the province.

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

Heavy rain swept across most of the region last week. All areas reported rain in amounts ranging from two to 108 mm. The Grenfell area was hit extremely hard on August 23, with heavy rain (108 mm) and severe winds. Swaths were under water and all low-lying areas were submerged. The Alameda area received 19 mm, the Whitewood and Kennedy areas 33 mm, the Weyburn area 67 mm and the Indian Head and Radville areas 50 mm. Most areas reported in excess of 25 mm of rain.

The region has five per cent of the crop combined and 18 per cent of the crop is swathed or ready to straight-cut.

Ninety-six per cent of the hay crop has been cut. Eighty-eight per cent of this has been baled or put into silage. Eight per cent is in the swath. Hay quality has been reduced in some areas after several rain showers on the swath. Baling hours were cut short due humidity in the evening. Quality is rated as 19 per cent excellent, 50 per cent good and 15 per cent fair. Depending on when and how much rain fell, hay quality is ranges from excellent to poor.

Pasture conditions have improved since last month and are rated as 53 per cent excellent, 43 per cent good and four per cent fair. Ninety-nine per cent of producers are reporting adequate supplies of livestock water. Foot rot is still causing problems in cattle herds.

With the recent rain, topsoil moisture conditions on cropland are now reported as 36 per cent surplus, 63 per cent adequate, one per cent short. On hay land and pasture, topsoil moisture is rated as 21 per cent surplus, 76 per cent adequate and three per cent short. Crop District 1B is reporting 51 per cent of cropland has surplus topsoil moisture.

Crop damage is mostly attributed to flooding and wind (lodging). Disease is also damaging crops. The recent rain is raising concerns about disease in ripening pulse crops. Sprouting and bleaching in swathed cereals is also a concern. High winds of 60 to 70 km per hour in the Lampman and Manor areas on Aug 21 blew around swathed canola and peas. There are a few farmers controlling aphids in canaryseed.

Crop maturity has slowed due to cool and wet weather conditions. Some warm weather is needed to push the crops along. Many areas are still one to two weeks behind normal in crop development. Wet fields are causing problems for the combines. As producers put their swathers and combines get into the fields, they are finding more water than they had originally anticipated in some areas. Farmers have started cutting greenfeed crops. Farmers are haying, harvesting, getting ready for harvest and controlling weeds on unseeded acres.

Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

The region received between zero and 25 mm of rain for the week. Most of the region received more than 15 mm. The Viceroy area received 25 mm, the Spring Valley area 17 mm, the Mankota area 3 mm, the Rush Lake area 6 mm and the Gull Lake area 13 mm. Many areas in CD 3BS and 4A reported no rain for the week.

The region has six per cent of the 2010 crop combined and an additional 10 per cent is swathed or ready to straight-cut. Thirty-three per cent of the winter wheat and fall rye, six per cent of the lentils, 30 per cent of the field peas and one per cent of the mustard and canola has been combined.

Haying is wrapping up in the region. Ninety-seven per cent of the hay crop has been cut and 91 per cent of that has been baled or put into silage. Quality is rated as 15 per cent excellent, 68 per cent good and 10 per cent fair. There is some second-cutting of hay on irrigated stands.

Pasture conditions remain similar to one month ago and are rated as 40 per cent excellent, 48 per cent good and 11 per cent fair and one per cent poor. Ninety-six per cent of producers are reporting adequate supplies of livestock water.

Cropland topsoil moisture is rated as seven per cent surplus, 86 per cent adequate and seven short. Hay land and pasture topsoil moisture conditions are rated as three per cent surplus, 87 per cent adequate and 10 per cent short. Twenty-one per cent of the hay land and pasture in CD 3BS is short of topsoil moisture.

Crop damage has been caused by wind and disease. Hail damage was reported in the Assiniboia, Webb and Gull Lake areas. In some areas, crops were lodged by the high winds.

Farmers are busy finishing up haying and harvesting, getting ready for harvest and hauling bales. Harvest progressed well in areas that did not receive any rain. Warm temperatures in some areas advanced crops rapidly. The recent rain on desiccated pulses and swathed cereals has farmers worried about crop quality. Canada and Sow thistle are problem weeds in areas. A few weeks of dry and sunny weather are needed, as most crops are one to two weeks behind normal in development.

East-Central Saskatchewan (Crop Districts 5 and 6a)

All crop reporters recorded rain for the past week in amounts ranging from two to 64 mm. CD 5A received between 21 mm and 64 mm. CD 6A received between two and 27 mm. Since April 1, the region has received between 266 mm and 744

mm. The Churchbridge and Stockholm areas recorded 58 mm, the Saltcoats area received 64 mm, the Kuroki area 35 mm, the Rama area 28 mm, the Craven area 27 mm and the Nokomis area 10 mm. Night temperatures dipped to as low as 4 C.

Eight per cent of the crop is swathed or ready to straight-combine. Eleven per cent of the winter wheat and four per cent of the field peas has been combined.

Ninety-two per cent of the hay is cut and 79 per cent of that has been baled or put into silage. Haying is progressing slowly due to rain and heavy dew. CD 5B has 87 per cent of the hay cut, with 73 per cent baled or put into silage. Quality in this crop district is rated as 33 per cent fair and 56 per cent poor. Regionally, quality is rated as 17 per cent excellent, 41 per cent good and 31 per cent fair. Depending on when and how much rain fell, hay quality ranges from excellent to poor.

Pasture conditions have improved somewhat since last month and are now rated as 43 per cent excellent, 53 per cent good and four per cent fair. All livestock producers are reporting adequate water supplies for their animals.

Topsoil moisture on cropland is reported as 51 per cent surplus and 49 per cent adequate. Hay land and pasture topsoil moisture is rated as 35 per cent surplus, 64 per cent adequate and one per cent short. CDs 5A and 5B are reporting 64 and 77 per cent surplus topsoil moisture on crop land, respectively.

Flooding, wind and hail were the major causes of crop damage. Hail damage was reported in the Foam Lake, Elfros, Wynyard, Quill Lake, Kelvington and Jansen areas. Crop diseases are also causing damage in CD 6A. There were reports of farmers controlling bertha armyworms in the Stockholm area. Crops have lodged in some areas due to heavy rain and wind.

Farmers are busy haying, getting ready for harvest and controlling weeds on unseeded acres. Early-seeded wheat, pulses and canola are being swathed. Moisture in winter wheat was reported at 18 per cent. There are reports of combines getting stuck in winter wheat fields. Crops need an extra two to three weeks of sunny and dry weather to mature. The land has not been given any opportunity to dry out. Getting into the wet fields with equipment is very difficult.

West-Central Saskatchewan (Crop Districts 6B and 7)

The region received between zero and 23 mm of rain last week, with most areas recording less than 10 mm. The Sonningdale area received 11 mm, the Hanley area 2 mm, the Marengo area 20 mm, the Kindersley area 12 mm, the Major area 23 mm and the Denzil area 10 mm.

Four per cent of the crop has been combined. Six per cent of the winter wheat, two per cent of the fall rye and one per cent of the field peas has been combined.

Haying continues. The hay swath is slow to dry due to rain and high humidity. Ninety-two per cent of the crop has been cut, and 75 per cent of that has been baled or put into silage. Quality is rated as four per cent excellent, 65 per cent good and 12 per cent fair. Hay quantity and quality are a concern in some areas of the region. CD 7A has 85 per cent of the hay crop cut and 68 per cent of that baled or put into silage. Quality in this crop district is rated as 50 per cent good and 33 per cent fair.

Pasture conditions are much the same as one month ago, and are rated as 54 per cent excellent, 44 per cent good and two per cent fair. Ninety-eight per cent of producers are reporting adequate supplies of livestock water.

Cropland topsoil moisture is rated as 17 per cent surplus, 81 per cent adequate and two per cent short. Hay land and pasture topsoil moisture conditions are rated as eight per cent surplus, 91 per cent adequate and one per cent short.

The majority of crop damage is due to disease. The moisture received in the past few weeks has farmers worried about crop quality. Pulses, particularly lentils, are showing high disease pressures, which is causing quality issues.

Farmers are busy haying, getting ready for harvest and harvesting. Crops are behind normal in development by one to two weeks, so many producers are hoping for warm and sunny weather. Farmers are swathing peas, canola and winter cereals and desiccating lentils and peas. There are a few pea and canola fields completing flowering. The rains have rendered roads in some RMs impassable by grain trucks and equipment. Sun and heat is needed.

Northeastern Saskatchewan (Crop Districts 8 and 9AE)

All areas reported between four and 39 mm of rain for the week. The Tisdale area received 18 mm, the Nipawin area 39 mm, the Vonda area 16 mm, the Alvena and Melfort areas 6 mm and the Prince Albert and Garrick areas 12 mm. Most areas recorded less than 15 mm of moisture. Nighttime temperatures dropped to 5 C in some areas.

Five per cent of the 2010 crop is swathed or ready to straight-cut. Three per cent of the winter wheat and 19 per cent of the fall rye has been combined. Canola, peas and oats are being swathed or desiccated.

Haying was interrupted again this week by rain, high humidity and heavy dew. Ninety-three per cent of the hay crop has been cut and 81 per cent of this has been baled or put into silage. Quality is rated as 46 per cent good and 46 per

cent fair. There are a few reports of livestock producers taking a second cut of hay.

Pasture conditions have improved since last month, and are rated as 32 per cent excellent, 57 per cent good, 10 per cent fair and one per cent poor. All livestock producers are indicating they have adequate water supplies for their animals. Cattle are in excellent shape.

Cropland topsoil moisture is rated as 49 per cent surplus and 51 per cent adequate. Hay land and pasture topsoil moisture is rated as 29 per cent surplus and 71 per cent adequate. CD 8A is reporting 83 per cent of its cropland has surplus topsoil moisture.

Crop damage is due to flooding, disease and hail. Hail damage was reported in the Porcupine Plain and Tisdale areas. The heavy rain in some areas has lodged crops. A storm and that went through Porcupine Plain resulted in 50-per-cent hail damage and left canola swaths under water in some areas.

Farmers are busy haying and getting ready for harvest. Crop staging is variable across the region, and crops are still one to two weeks behind normal in development. Many fields are still unable to support equipment. Harvest and weed control equipment is getting stuck in fields. Some farmers managed to get cultivators into the fields. Most crop reporters are indicating it will be two to three weeks until harvest is in full swing.

Northwestern Saskatchewan (Crop Districts 9AW and 9B)

Rain was widespread throughout the region, and amounts ranged from one to 22 mm. Most areas recorded less than 10 mm. The Duck Lake and Debden areas received 6 mm, the Meadow Lake area 22 mm, the St. Walburg and Lloydminster areas 11 mm and the Neilburg and North Battleford areas 5 mm.

Two per cent of the crop is swathed or ready to straight-cut. Three per cent of the peas are swathed or ready to straight-cut, and four per cent of the canola is swathed.

Haying continues, but progress is slow due to rain, lengthy drying time and heavy dew. Ninety per cent of the hay crop has been cut with 76 per cent of this baled or put into silage. Quality is rated as 44 per cent good, 28 per cent fair and 11 per cent poor. In some areas, hay has been lying in the swath for two weeks. Some farmers have started a second cut of hay, hoping they may be able to bale it in better condition than the first cut.

Pasture conditions are rated as 28 per cent excellent, 65 per cent good and seven per cent fair. Ninety-nine per cent of producers are reporting adequate supplies of livestock water.

Cropland topsoil moisture is rated as three per cent surplus, 94 per cent adequate and three per cent short. Hay land and pasture topsoil moisture is rated as 96 per cent adequate and four per cent short.

Flooding and wind were the causes of most of the crop damage. Disease pressures in pulses have caused some crop damage as well. Some crops are lodging in areas that received heavy rain.

Warm and sunny weather is needed. Farmers are busy haying, getting ready for harvest and harvesting. Peas are being desiccated.

Winter wheat				
	% Standing	% in swath	% ready to straight combine	% combined
SE	28	5	33	34
SW	26	12	28	33
EC	50	10	29	11
WC	59	17	18	6
NE	63	25	9	3
NW	N/A	N/A	N/A	N/A
* one per cent is rated as 'other'				

Fall rye				
	% Standing	% in swath	% ready to straight combine	% combined
SE	26	9	23	42
SW	22	21	16	33
EC	39	27	30	4
WC	27	59	12	2
NE	23	19	39	19
NW	100	0	0	0
* eight per cent is rated as 'other'				

Spring wheat				
	% Standing	% in swath	% ready to straight combine	% combined
SE	90	6	3	1
SW	96	2	1	1
EC	98	1	1	0
WC	100	0	0	0
NE	100	0	0	0
NW	100	0	0	0

Durum				
	% Standing	% in swath	% ready to straight combine	% combined
SE	91	9	0	0
SW	99	1	0	0
EC	100	0	0	0
WC	100	0	0	0
NE	100	0	0	0
NW	100	0	0	0

Oats				
	% Standing	% in swath	% ready to straight combine	% combined
SE	94	4	2	0
SW	92	6	0	0
EC	100	0	0	0
WC	100	0	0	0
NE	100	0	0	0
NW	100	0	0	0
*two per cent is rated as 'other'				

Barley				
	% Standing	% in swath	% ready to straight combine	% combined
SE	84	9	4	3
SW	96	3	1	0
EC	94	3	3	0
WC	99	1	0	0
NE	97	3	0	0
NW	98	1	1	0

Lentils				
	% Standing	% in swath	% ready to straight combine	% combined
SE	67	12	7	14
SW	78	7	9	6
EC	93	2	4	1
WC	96	1	3	0
NE	95	2	3	0
NW	100	0	0	0

Peas				
	% Standing	% in swath	% ready to straight combine	% combined
SE	49	9	18	24
SW	46	5	19	30
EC	74	5	17	4
WC	93	3	3	1
NE	89	9	1	1
NW	97	1	2	0

Canola				
	% Standing	% in swath	% ready to straight combine	% combined
SE	59	36	4	1
SW	72	27	0	1
EC	87	13	0	0
WC	91	9	0	0
NE	92	8	0	0
NW	96	4	0	0

Mustard				
	% Standing	% in swath	% ready to straight combine	% combined
SE	67	21	1	11
SW	78	13	8	1
EC	85	9	6	0
WC	95	5	0	0
NE	100	0	0	0
NW	100	0	0	0

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending August 23, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13, Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: August 25, 2010

Weekly Rainfall

for the week ending August 23, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: August 25, 2010

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period to August 17 to 23, 2010

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	1	Argyle	2.0	419.0
	2	Mount Pleasant	8	319
	3	Enniskillen	14	343
	33 A	Moose Creek	N/A	249
	33 B	Moose Creek	19	370
	34	Browning	9	308
	61	Antler	N/A	490
	63	Moose Mountain	15	397
	64	Brock	13	362
	65	Tecumseh	N/A	361
1B	91	Maryfield	14	395
	92	Walpole	N/A	299
	93	Wawken	33	430
	95	Golden West	N/A	322
	122	Martin	10	400
	123 A	Silverwood	29	310
	123 B	Silverwood	N/A	N/A
	124	Kingsley	25	320
	125	Chester	41.2	342
	151 A	Rocanville	32	441
	151 B	Rocanville	N/A	409
	153	Willowdale	33	449
	154	Elcapo	30	425
	155	Wolseley	108	591
2A	66	Griffin	N/A	395
	67	Weyburn	40	434
	68	Brokenshell	43	361
	69	Norton	N/A	313
	96	Fillmore	32	320
	97	Wellington	67	310
2B	127 A	Francis	N/A	340
	127 B	Francis	36	268
	129	Bratt's Lake	49	333
	156 A	Indian Head	42	450
	156 B	Indian Head	50	438
	157	South Qu'appelle	N/A	NIL
	160	Pense	12	344
	161	Moose Jaw	12	352
	191	Marquis	12	406
3ASE	38 A	Laurier	50	423
	38 B	Laurier	49	360
	39 A	The Gap	44	321
	39 B	The Gap	40	467
3ASW	10	Happy Valley	N/A	354
	11	Hart Butte	N/A	NIL
	12	Poplar Valley	13	267
	40	Bengough	N/A	338
	42	Willow Bunch	10	331
	43	Old Post	13	330
	44	Waverley	8	360
	70	Key West	N/A	315
	71 A	Excel	25	343
	71 B	Excel	20	272
	73 A	Stonehenge	10	315
	73 B	Stonehenge	N/A	389
	74	Wood River	8	322
3AN	101	Terrell	17	388
	102	Lake Johnston	13.7	303
	103	Sutton	9	324
	134	Shamrock	13	410
	164	Chaplin	18	357
	193	Eyebrow	7	370
	194	Enfield	12	396
3BS	17	Val Marie	N/A	N/A
	45	Mankota	3	272
	75 A	Pinto Creek	NIL	306
	75 B	Pinto Creek	NIL	291
	76 A	Auvergne	NIL	267
	76 B	Auvergne	1	253
	77	Wise Creek	NIL	267
	78 A	Grassy Creek	1	360
	78 B	Grassy Creek	NIL	347
	78 C	Grassy Creek	1	361
	105	Glanbain	6	284
	106	Whiska Creek	2	238
	107	Lac Pelletier	N/A	296
	108	Bone Creek	N/A	361
3BN	138	Webb	1	372
	165	Morse	N/A	NIL
	166	Excelsior	6	472
	167	Sask. Landing	5	426
	168	Riverside	5	436
	226	Victory	5	402
	228	Lacadena	4	435
	255	Coteau	N/A	NIL
	257	Monet	5	392
4A	49	White Valley	NIL	333
	49 A	White Valley	N/A	269
	51	Reno	NIL	358
	79	Arlington	1	383
	109	Carmichael	NIL	525
	110	Piapot	NIL	403
	111	Maple Creek	N/A	355
4B	139	Gull Lake	13	499
	141	Big Stick	N/A	428
	142	Enterprise	2	516
	169	Pittville	N/A	380
	171	Fox Valley	5	384
	229	Miry Creek	N/A	494
	231	Happyland	4	410
5A	181	Langenberg	58	397
	183	Fertile Belt	58	451
	185	Mcleod	52	408
	186	Abernethy	40	342
	211	Churchbridge	53	421
	213	Saltcoats	64	474
	216	Tullymet	N/A	230
	241	Calder	60	396
	243	Wallace	N/A	335
	245 A	Garry	N/A	428
	245 B	Garry	39	512
	246	Ituna Bon Accord	N/A	305
	247	Kellross	57	490
	248	Touchwood	21	266
5B	271	Cote	N/A	351
	275	Insinger	N/A	NIL
	276	Foam Lake	N/A	562
	277	Emerald	21	606
	278	Kutawa	N/A	NIL
	305	Invermay	28	744
	307	Elfros	18	720
	308	Big Quill	23	474
	333	Clayton	N/A	134
	335	Hazel Dell	20	458
	336	Sasman	35	608
	337	Lakeview	34	487
	338	Lakeside	15	512
	366	Kelvington	21	415
6A	190 A	Dufferin	4	263
	190 B	Dufferin	6	364
	190 C	Dufferin	12	316
	190 D	Dufferin	N/A	339
	219 A	Longlaketon	21	335
	219 B	Longlaketon	27	387
	220	Mckillop	14	339
	221	Sarnia	4.18	415
	222	Craik	2	441
	251	Big Arm	5	424
	252	Arm River	2	355
	279	Mount Hope	3	427
	280	Wreford	10	385
	282	McCraney	2	434
	309	Prairie Rose	17	467
	313	Lost River	N/A	391
	339	Leroy	8.19	518
	340	Wolverine	9	516
	341	Viscount	8	489
	343	Blucher	9	509
6B	253	Willner	N/A	331
	283	Rosedale	2	505
	284	Rudy	4	481
	285	Fertile Valley	1	440
	286	Milden	NIL	457
	314	Dundurn	1	508
	344	Corman Park	3	464
	345	Perdue	2	524
7A	376 A	Eagle Creek	N/A	624
	376 B	Eagle Creek	11	463
	260	Newcombe	N/A	375
	260 B	Newcombe	N/A	293
	287	St. Andrews	1	385
	288	Pleasant Valley	4	383
	290 A	Kindersley	NIL	385
	290 B	Kindersley	10	390
	292	Milton	20	334
	317 A	Marriott	N/A	522
	317 B	Marriott	7	548
	318 A	Mountain View	5	501
	318 B	Mountain View	7	515
	320	Oakdale	12	363
	321	Prairiedale	10	386
7B	347 A	Biggar	3	408
	347 B	Biggar	N/A	415
	350 A	Manposa	NIL	305
	350 B	Manposa	7	380
	351	Progress	6	414
	352	Heart's Hill	23	480
	377	Glenside	5	463
	378 A	Rosemount	3	348
	378 B	Rosemount	5	439
	379	Reford	2	397
	380	Tramping Lake	N/A	350
	381	Grass Lake	12	506
	382	Eye Hill	10	376
	409	Buffalo	7	525
	410	Round Valley	N/A	437
	411	Senlac	15	431
8A	396	Porcupine	31	438
	397	Barrier Valley	18.4	496
	428	Star City	4	429
	456	Arborfield	13	396
	457	Connaught	22	569
	458	Willow Creek	8	457
	486	Moose Range	39	412
8B	369	St. Peter	N/A	478
	370	Humboldt	7	575
	371	Bayne	7	515
	372	Grant	15.8	496
	402	Fish Creek	6	422
	429 A	Flett's Springs	6	319
	429 B	Flett's Springs	3	459
	430	Invergordon	N/A	43
	459	Kinistino	8	425
9AE	461	Prince Albert	12	442
	488	Torch River	12	453
	520	Paddockwood	N/A	87
9AW	406	Mayfield	1	334
	435	Redberry	2	454
	436	Douglas	1	252
	463	Duck Lake	6	406
	464	Leask	4	452
	467	Round Hill	N/A	NIL
	494	Canwood	6	446
	496	Spiritwood	N/A	504
	497	Medstead	5	374
9B	438	Battle River	5	407
	440	Hillsdale	N/A	358
	442	Manitou Lake	5	335
	498 A	Parkdale	4	370
	498 B	Parkdale	3	296
	499	Mervin	1	315
	501 A	Frenchman Butte	11	354
	501 B	Frenchman Butte	3	309
	501 C	Frenchman Butte	14	433
	502	Britannia	11	442
	581	Loon Lake	12	349
	588 A	Meadow Lake	22	377
	588 B	Meadow Lake	14	384
	588 C	Meadow Lake	18	407
	588 D	Meadow Lake	N/A	365
	622	Beaver River	N/A	329

Municipality No: A, B, C, and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2010
To: August 23, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: August 25, 2010

Cropland Topsoil Moisture Conditions

August 24, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: August 25, 2010

Cumulative Rainfall

From: April 1, 2010
To: August 23, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: August 25, 2010

Cropland Topsoil Moisture Conditions

August 24, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: August 25, 2010

Hay and Pasture Topsoil Moisture Conditions

August 24, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: August 25, 2010

Hay and Pasture Topsoil Moisture Conditions

August 24, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: August 25, 2010